



PINSPOTTR

13W track mounted LED PINSPOT



LIGHT SOURCE

13W high-power
white LEDs



BEAM ANGLE

6°



CONNECTIVITY

Track adaptor
(EUTRAC, STAFF,
GLOBAL, IVELA
compatible)



IP RATING

30

PINSPOT LED is a true LED replacement for a traditional PINSPOT. Featuring both the beam and output characteristics of the original, the PINSPOT is able to be used in all the same applications.

Variants



PINSPOTTRTU

Tungsten White LED source



PINSPOTTRDY

Daylight White LED source

TECHNICAL SPECIFICATIONS

LIGHT SOURCE

- Source: 13W high-power white LED
- CT: (TU) 2800 K - (DY) 6100K
- CRI: (TU) 90 - (DY) 80
- Luminous flux: (TU) 775 lm - (DY) 978lm
- Lux: (TU) 5030 lux - (DY) 6320lux @3m

OPTICS

- Beam angle: 6°

ELECTRONICS

- Dimmer: linear 0~100%, manual knob dimmer

ELECTRICAL

- Power consumption (at 230V): 18,9W

PHYSICAL

- Power connection: moulded IP power IN connector
- IP rating: 30
- Dimensions (WxHxD): 209x167x238mm
- Weight: 1.8kg



PINSPOT

13W professional LED PINSPOT



LIGHT SOURCE

13W high-power
white LEDs



BEAM ANGLE

6°



CONNECTIVITY

Local manual
knob dimmer



IP RATING

30

PINSPOT LED is a true LED replacement for a traditional PINSPOT. Featuring both the beam and output characteristics of the original, the PINSPOT is able to be used in all the same applications.

Variants



PINSPOTTU

Tungsten White LED source



PINSPOTDY

Daylight White LED source

TECHNICAL SPECIFICATIONS

LIGHT SOURCE

- Source: 13W high-power white LED
- CT: (TU) 2900 K - (DY) 6100K
- CRI: TU 90 - DY 80
- Luminous flux: TU 755 lm - DY 978lm
- Lux: TU 5030 lux - DY 6320lux @3m

OPTICS

- Beam angle: 6°

ELECTRONICS

- Dimmer: linear 0~100%, manual knob dimmer

ELECTRICAL

- Power consumption (at 230V): 18,9W

PHYSICAL

- Power connection: moulded IP power IN connector
- IP rating: 30
- Dimensions (WxHxD): 209x167x238mm
- Weight: 1.8kg